

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 04/15/2015

	he substance/mixture and of the com	ipany/undertaki	ng
1.1. Product identifier			
Product form	: Mixture		
Product name	: Cherry Odor Counteractant		
Product code	: 565-4844		
1.2. Relevant identified uses of t	the substance or mixture and uses advised ag	ainst	
Use of the substance/mixture	: Deodorant		
1.3. Details of the supplier of the	e safety data sheet		
CSI Group Int'l IncDBA Concrete Servi 575 Route 73 North, Unit C-4 West Berlin, NJ 08091 T (856) 381-0249	ces Int'l		
1.4. Emergency telephone numb	ber		
No additional information available			
SECTION 2: Hazards identifica	ation		
2.1. Classification of the substar			
Classification (GHS-US)			
Not classified			
2.2. Label elements			
GHS-US labeling			
No labeling applicable			
2.3. Other hazards			
No additional information available			
	S-US)		
2.4 Unknown acute toxicity (GH			
Not applicable	rmation on ingradiants		
Not applicable SECTION 3: Composition/info	rmation on ingredients		
Not applicable SECTION 3: Composition/info	rmation on ingredients		
Not applicable SECTION 3: Composition/info 3.1. Substance Not applicable	rmation on ingredients		
Not applicable SECTION 3: Composition/info 3.1. Substance Not applicable 3.2. Mixture			
Not applicable SECTION 3: Composition/info 3.1. Substance Not applicable 3.2. Mixture Name	Product identifier	%	Classification (GHS-US)
Not applicable SECTION 3: Composition/info 3.1. Substance Not applicable 3.2. Mixture		<b>%</b> 1 - 5	Classification (GHS-US) Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336
Not applicable SECTION 3: Composition/info 3.1. Substance Not applicable 3.2. Mixture Name 2-propanol	Product identifier		Flam. Liq. 2, H225 Eye Irrit. 2A, H319
Not applicable SECTION 3: Composition/info 3.1. Substance Not applicable 3.2. Mixture Name 2-propanol Full text of H-phrases: see section 16	Product identifier (CAS No) 67-63-0		Flam. Liq. 2, H225 Eye Irrit. 2A, H319
Not applicable SECTION 3: Composition/info 3.1. Substance Not applicable 3.2. Mixture Name 2-propanol Full text of H-phrases: see section 16 SECTION 4: First aid measure	Product identifier (CAS No) 67-63-0		Flam. Liq. 2, H225 Eye Irrit. 2A, H319
Not applicable SECTION 3: Composition/info 3.1. Substance Not applicable 3.2. Mixture Name 2-propanol Full text of H-phrases: see section 16 SECTION 4: First aid measure 4.1. Description of first aid measure	Product identifier (CAS No) 67-63-0 CS Sures : Never give anything by mouth to an u	1 - 5 unconscious person.	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336
Not applicable SECTION 3: Composition/info 3.1. Substance Not applicable 3.2. Mixture Name 2-propanol Full text of H-phrases: see section 16 SECTION 4: First aid measure	Product identifier (CAS No) 67-63-0 Sures	unconscious person. le).	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336

 First-aid measures after eye contact
 Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

 First-aid measures after ingestion
 : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

 4.2.
 Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Not expected to present a significant hazard under anticipated conditions of normal use.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	· · · · · · · · · · · · · · · · · · ·		
	mediate medical attention and special treat	ment needed	
No additional information availa			
SECTION 5: Firefighting			
5.1. Extinguishing media Suitable extinguishing media		n dioxide. Water spray. Sand.	
Unsuitable extinguishing media			
	sing from the substance or mixture		
No additional information availa	-		
5.3. Advice for firefighte	rs		
Firefighting instructions		: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.	
Protection during firefighting	: Do not enter fire area with	nout proper protective equipment, including respiratory protection.	
<b>SECTION 6: Accidental</b>	release measures		
6.1. Personal precaution	ns, protective equipment and emergency pro	ocedures	
6.1.1. For non-emergency	personnel		
Emergency procedures	: Evacuate unnecessary pe	ersonnel.	
6.1.2. For emergency resp	oonders		
Protective equipment	: Equip cleanup crew with	proper protection.	
Emergency procedures	: Ventilate area.		
6.2. Environmental prec	autions		
Prevent entry to sewers and pu	blic waters. Notify authorities if liquid enters se	wers or public waters.	
6.3. Methods and materi	ial for containment and cleaning up		
Methods for cleaning up	: Soak up spills with inert s spillage. Store away from	olids, such as clay or diatomaceous earth as soon as possible. Collect other materials.	
6.4. Reference to other s	sections		
See Heading 8. Exposure contr	ols and personal protection.		
<b>SECTION 7: Handling a</b>	nd storage		
7.1. Precautions for safe	a handling		
Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.			
	storage, including any incompatibilities		
Storage conditions	sparks, open flame and o	container in a cool, well ventilated place away from heat, hot surfaces, ther ignition sources. No smoking. Keep container closed when not in	
Incompatible products		use. Strong bases. Strong acids.	
Incompatible materials	: Sources of ignition. Direct		
7.3. Specific end use(s)	-		
No additional information available			
SECTION 8: Exposure controls/personal protection			
8.1. Control parameters			
Cherry Odor Counteractant			
ACGIH	Not applicable		
OSHA	DSHA Not applicable		
2-propanol (67-63-0)			
ACGIH	ACGIH TWA (ppm)	200 ppm	
ACGIH	ACGIH STEL (ppm)	200 ppm	
ACGIH	Remark (ACGIH)	Eye & URT irr; CNS impair	
OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	980 mg/m <sup>3</sup>	
05/15/2015	EN (English LIS)	2/6	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2-propanol (67-63-0)		
OSHA	OSHA PEL (TWA) (ppm)	400 ppm
3.2. Exposure controls		
	: Avoid all unnecessary	ovposuro
Personal protective equipment	. Avoid all unnecessary	exposure.
land protection	: Wear protective gloves	s/eye protection/face protection protective gloves.
Eye protection	: Chemical goggles or se	afety glasses.
Respiratory protection	: Wear appropriate mas	k.
Other information	: Do not eat, drink or smoke during use.	
ECTION 9: Physical an	d chemical properties	
.1. Information on basic	physical and chemical properties	
Physical state	: Liquid	
Color	: red	
Ddor	: Cherry	
Odor threshold	: No data available	
Н	: 6.5 - 7	
felting point	: No data available	
reezing point	: No data available	
soiling point	: 212 - 220 °F	
lash point	: ≥ 200 °F	
Relative evaporation rate (butyl	acetate=1) : No data available	
lammability (solid, gas)	: No data available	
Explosion limits	: No data available	
xplosive properties	: No data available	
Dxidizing properties	: No data available	
/apor pressure	: No data available	
Relative density	: 1.03	
Relative vapor density at 20 °C	: Same as water	
Solubility	: Soluble in water. Water: Solubility in wat •: •: 0.3 g/100ml •	ter of component(s) of the mixture : : •:
og Pow	: No data available	
og Kow	: No data available	
uto-ignition temperature	: No data available	
ecomposition temperature	: No data available	
/iscosity	: No data available	
iscosity, kinematic	: No data available	
/iscosity, dynamic	: No data available	
.2. Other information		
No additional information availal	ble	

SECTI	ON 10: Stability and reactivity		
10.1.	Reactivity		
No addit	ional information available		
10.2.	Chemical stability		
Stable under normal conditions. Not established.			
10.3.	Possibility of hazardous reactions		
Not established.			
10.4.	Conditions to avoid		
Direct su	Direct sunlight. Extremely high or low temperatures.		

### Safety Data Sheet

Acute toxicity

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.5.	Incompatible materials		
Strong	acids. Strong bases.		
10.6.	Hazardous decomposition products		
Fume. Carbon monoxide. Carbon dioxide.			
SECTION 11: Toxicological information			
11.1.	Information on toxicological effects		

### 2-propanol (67-63-0) LD50 oral rat 5045 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Experimental value; 5840 mg/kg bodyweight; Rat) LD50 dermal rabbit 12870 mg/kg (Rabbit; Experimental value; Equivalent or similar to OECD 402; 16.4; Rabbit) LC50 inhalation rat (mg/l) 73 mg/l/4h (Rat) ATE US (oral) 5045.000 mg/kg body weight ATE US (dermal) 12870.000 mg/kg body weight ATE US (vapors) 73.000 mg/l/4h 73.000 mg/l/4h ATE US (dust, mist) Skin corrosion/irritation : Not classified pH: 6.5 - 7 Serious eye damage/irritation : Not classified pH: 6.5 - 7 Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified 2-propanol (67-63-0) IARC group 3 - Not classifiable Not classified Reproductive toxicity : Specific target organ toxicity (single exposure) : Not classified Specific target organ toxicity (repeated : Not classified exposure)

: Not classified

Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.

**SECTION 12: Ecological information** 

12.1. Toxicity		
2-propanol (67-63-0)		
LC50 fish 1	4200 mg/l (96 h; Rasbora heteromorpha; Flow-through system)	
EC50 Daphnia 1	10000 mg/l (48 h; Daphnia magna)	
LC50 fish 2	9640 mg/l (96 h; Pimephales promelas; Lethal)	
EC50 Daphnia 2	13299 mg/l (48 h; Daphnia magna)	
Threshold limit algae 1	> 1000 mg/l (72 h; Scenedesmus subspicatus; Growth rate)	
Threshold limit algae 2	1800 mg/l (72 h; Algae; Cell numbers)	
12.2. Persistence and degradability		
Cherry Odor Counteractant		
Persistence and degradability	Not established.	
2-propanol (67-63-0)		
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Biodegradable in the soil under anaerobic conditions. No (test)data on mobility of the substance available.	
Biochemical oxygen demand (BOD) 1.19 g O <sub>2</sub> /g substance		

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2-propanol (67-63-0)		
Chemical oxygen demand (COD)	2.23 g O <sub>2</sub> /g substance	
ThOD		
	2.40 g O <sub>2</sub> /g substance	
BOD (% of ThOD)	0.49 % ThOD	
12.3. Bioaccumulative potential		
Cherry Odor Counteractant		
Bioaccumulative potential	Not established.	
2-propanol (67-63-0)		
Log Pow	0.05 (Experimental value)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
12.4. Mobility in soil		
2-propanol (67-63-0)		
Surface tension	0.021 N/m (25 °C)	
12.5. Other adverse effects		
	· No known ocological domage caused by this product	
Effect on the global warming	: No known ecological damage caused by this product.	
Other information	: Avoid release to the environment.	
SECTION 13: Disposal considera	tions	
13.1. Waste treatment methods		
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.	
Ecology - waste materials	: Avoid release to the environment.	
SECTION 14: Transport informati	ion	
Department of Transportation (DOT)		
In accordance with DOT		
Not regulated for transport Additional information		
Other information	: No supplementary information available.	
ADR		
No additional information available		
Transport by sea		
No additional information available		
Air transport		
No additional information available		
SECTION 15: Regulatory informa	tion	
15.1. US Federal regulations		
2-propanol (67-63-0) Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Listed on United States SARA Section 313		
15.2 International regulations		
15.2. International regulations		
CANADA No additional information available		
EU-Regulations		
No additional information available		
Classification according to Regulation (E	C) No. 1272/2008 [CL P]	
No additional information available		
No additional mormation available		

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD] Not classified

### **National regulations**

No additional information available

### 15.3. US State regulations

No additional information available

<b>SECTION 16: Other inform</b>	nation	
Revision date	: 04/15/2015	
Other information	: None.	

### Full text of H-phrases:

Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 2	Flammable liquids Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H225	Highly flammable liquid and vapor
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness

HMIS III Rating	
Health	: 1 Slight Hazard - Irritation or minor reversible injury possible
Flammability	: 0 Minimal Hazard - Materials that will not burn
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.
Personal Protection	: B
	B - Safety glasses, Gloves
SDS US (GHS HazCom 2012)	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product